

Dentist

Practice

Phone

Patient Name

Due Date

**DENTURES**

**CROWN + BRIDGE**


**JOB DUE DATE**

Trays	<input type="checkbox"/>	
Bites	<input type="checkbox"/>	
Try in	<input type="checkbox"/>	
Retry	<input type="checkbox"/>	
Finish	<input type="checkbox"/>	


Cr/Co  
 Repair  
 Reline  
 Mouthguard  
 Colour \_\_\_\_\_

Teeth \_\_\_\_\_  
Mould \_\_\_\_\_  
Shade \_\_\_\_\_

Tooth Setting  
 Ideal  Characterised  
 Male  Female




Upper



Lower


**SHADE**



**OCCLUSAL STAINING**

None  Light  Medium  Dark

**PONTIC DESIGN**



**JOB TYPE**


Crown  Bridge  Veneer  
 Inlay/Onlay  Post and Core  
 Other \_\_\_\_\_

**ALL CERAMIC**

Zirconia - monolithic  
 Zirconia - layered  
 Vita Suprinity  
 Emax  
 Vita Triluxe Forte  
 Vitablocs Mark II  
 Vita Enamic  
 3M Lava  
 Other \_\_\_\_\_

Implant Crown  
 Screw Retained  
 Cement Retained

Final shade \_\_\_\_\_  
 Stump shade \_\_\_\_\_



**OCCLUSAL SPLINTS**

Stabilisation/Michigan Splint  
 Posterior Plane Splint  Upper  
 Repositioning Splint  Lower  
 Thermoformed Splint  
 Bleaching Stent  
 Trutain Retainer opening \_\_\_\_\_ mm  
 Other \_\_\_\_\_

**MANDIBULAR ADVANCEMENT DEVICES**

MDSA  Silensor (Erkodent)  
 Dorsal  
 Total Protrusive Range \_\_\_\_\_ mm  
 Start Position \_\_\_\_\_ mm  
 Are skeletal midlines aligned on protrusion?  Yes  No  
 If not: \_\_\_\_\_  Right  Left  
 Addition Requirements  
 Lateral Movement  Anterior Breathing Space  
 Vertical Adjustment  Elastic Retention

**MARGIN + METAL DESIGN**

No collar  
 Lingual collar  
 Full metal band  
 Metal occlusal - lingual cusp  
 Metal occlusal - all cusps  
 Anterior metal lingual

**PORCELAIN TO METAL**

PFM non precious  
 PFM semi precious  
 PFM high noble

**FULL CAST**

Full Gold Crown  Non precious  
 Full Cast Crown  Semi precious  
 Cast Inlay/Onlay  High noble  
 Cast Post and Core

**NOTES/INSTRUCTIONS**